

DELTA LEAFLET
DELTA BROSCHÜRE



DELTA

EN | KEY BENEFITS:

- | Upright display freezer combines the advantages of both, a chest freezer and a freezer cabinet.
- | Designed for displaying frozen products with various packages.
- | Large loading capacity with a wide display.
- | Triple-glazed doors with ergonomic handles for high thermal insulation and energy efficiency.
- | Push glass lids on the chest freezer for better energy efficiency.
- | Anti-condensation foil on the internal pane for preventing any fogging after opening.
- | Defrost heater for evading buildups of frost and ice.
- | Optional canopy and door LED lighting.

DE | HAUPTVORTEILE:

- | Ein Kombi-Möbel mit den Vorteilen eines vertikalen TK-Schranks und einer horizontalen TK-Truhe.
- | Konzipiert für die Präsentation von Tiefkühlprodukten in diversen Umverpackungen.
- | Hohe Ladekapazität mit breitem Display.
- | Dreifach verglaste Türen mit ergonomischen Griffen für eine hohe Wärmedämmung und einen niedrigen Energieverbrauch.
- | Gefrierinsel mit Glasschiebedeckeln für eine höhere Energieeffizienz.
- | Antikondensationsfolie auf der Glasinnenseite gegen das Beschlagen der Türen nach dem Öffnen.
- | Abtauheizung zur Vermeidung von Frost- und Eisbildung.
- | Optionale LED-Beleuchtung für den Möbelkopf und die Türen.

 MM	1880	2500	3750		
 mm	N/A				

	HFC/HFO	CO ₂	R290
PLUG-IN / STECKERFERTIG	✓		✓
REMOTE / ZENTRAL GEKÜHLT	✓	✓	
HYDROLOOP / HYDROLOOP	✓		✓



Refrigerant / Kältemittel



Connection Type / Anschlussart



Cooling Type / Kühlart




Efficiency / Effizienz







Temperature Class / Temperaturklasse




Flexibility / Flexibilität




	MM	 [+25 °C, 60% RH]	 M ²	 M ³
DELTA L	1880 2500 3750	-18...-22	3.92 5.00 7.49	1.47 1.94 2.91
DELTA H	1880 2500 3750	-18...-22	4.66 6.49 9.32	1.59 2.12 3.19




DELTA L



DELTA L PLUG-IN



DELTA H



DELTA H PLUG-IN

